

# Fluorescent

## ARTIC BRITE™ FLUORESCENTS

Artic Brite™ is one of the whitest and brightest lamps on the market with the feel of the “northern-sky.” It is available in a variety of sizes. See WSI’s Vision Plus lamps for a better alternative.



## ARTIC BRITE™

See WSI’s Vision Plus lamps for a better alternative.

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
40	90546DX	F40T12/AB DELUX	T12	MBP	30	5100	82	2400	48"	36000	3 YR
50	90741	F60T12/AB DELUX	T12	SP	15	5000	92	2900	60"	12000	2.5 YRS
55	90790DX	F72T12/AB DELUX	T12	SP	15	5100	82	3325	72"	22000	2.5 YR
75	90882DX	F96T12/AB DELUX	T12	SP	15	5100	82	4775	96"	22000	2.5 YR

## ARTIC BRITE™ (HO) & (VHO)

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
60	90702DX	F48T12/AB DELUX/HO	T12	RDC	15	5100	82	3000	48"	20000	2.5 YR
85	90744DX	F72T12/AB DELUX/HO	T12	RDC	15	5100	82	5170	72"	20000	2.5 YR
110	90956DX	F96T12/AB DELUX/HO	T12	RDC	15	5100	82	6885	96"	20000	2.5 YR
215	90979DX	F96T12/AB DELUX/VHO	T12	RDC	15	5100	82	12075	96"	14000	2.5 YR



## ARTIC BRITE™ U-BEND

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
40	90615DX	FB40T12/AB DELUX/U6	T12	MBP	12	5100	82	2285	22.5"	26000	3 YR

## SIGN LAMPS

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
70	90742	F60T12/5000K SIGN/HO	T12	RDC	15	5000	92	4200	60"	12000	2.5 YRS
76	90743	F64T12/5000K SIGN/HO	T12	RDC	15	5000	92	4450	64"	12000	2.5 YRS
100	90745	F84T12/5000K SIGN/HO	T12	RDC	15	5000	92	6100	84"	12000	2.5 YRS



# Fluorescent

## COLORIZER™ 75



The Colorizer™ lamp provides a high color rendering where critical color matching is important. It is used extensively in commercial grain grading. It has also been utilized in bowling alleys to illuminate the bowling pins.

### F40 T12 COLORIZER™ 75

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
40	90542	F40T12/CR 75	T12	MBP	30	7500	95	2000	48"	20000	3 YR

## COOL WHITE FLUORESCENT LAMPS



The “Cool White” color lamp is the original fluorescent and has been around for many years. It has a poor CRI and produces significant glare. This product is popular simply because of price and it’s availability in a variety of sizes and wattages.

### COOL WHITE BY SIZE

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
4	90030	F4T5/CW	T5	MMP	24	4200	62	135	6"	8000	1 YR
6	90035	F6T5/CW	T5	MMP	24	4200	62	270	9"	8000	1 YR
8	90040	F8T5/CW	T5	MMP	50	4050	62	390	12"	8000	1 YR
13	90074	F13T5/CW	T5	MMP	25	4200	62	860	21"	8000	1 YR
14	78884	F14T8/CW	T8	MBP	50	4200	70	650	15"	8000	1YR
14	78882	F14T12/CW	T12	MBP	24	4200	62	650	15"	8000	1 YR
15	78883	F15T12/CW	T12	MBP	30	4200	62	750	18"	8000	1 YR
15	90075	F15T8/CW	T8	MBP	50	4200	62	825	18"	7500	1 YR
20	90125	F20T12/CW	T12	MBP	30	4200	62	1200	24"	22000	2.5 YR
30	90175	F30T8/CW	T8	MBP	30	4200	62	2180	36"	15000	2 YR
30	90250	F30T12/CW	T12	MBP	30	4200	62	2200	36"	26000	2.5 YR
34	90375	F34T12/CW	T12	MBP	30	4150	62	2650	48"	26000	3 YR
39	90700	F48T12/CW	T12	SP	15	4200	62	2820	48"	22000	2.5 YR
50	90760	F60T12/CW	T12	SP	15	4200	62	3700	60"	22000	2.5 YR
55	90770	F72T12/CW	T12	SP	15	4200	62	4500	72"	22000	2.5 YR
60	90837	F96T12/CW	T12	SP	15	4200	62	5300	96"	12000	2.5 YR




### COOL WHITE (HO) & (VHO)

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
60	90735	F48T12/CW/HO	T12	RDC	15	4200	62	4050	48"	20000	2.5 YR
75	90761	F60T12/CW/HO	T12	RDC	15	4200	62	5600	60"	20000	2.5 YR
85	90800	F72T12/CW/HO	T12	RDC	15	4200	62	6250	72"	20000	2.5 YR
95	90950	F96T12/CW/HO-0	T12	RDC	15	4200	62	8000	96"	20000	2.5 YR
215	90978	F96T12/CW/VHO	T12	RDC	15	4200	62	14000	96"	14000	2.5 YR

### COOL WHITE U-BEND

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
34	90630	FB34T12/CW/U6	T12	MBP	12	4200	62	2600	22.5"	26000	3 YR



# Fluorescent

## COOL WHITE CIRCLELINE

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
20	90009	FC6T9/CW/CIRCLELINE	T9	4 PIN	12	4150	62	800	6"	17000	1 YR
22	90010	FC8T9/CW/CIRCLELINE	T9	4 PIN	12	4150	62	1050	8"	17000	1 YR
32	90015	FC12T9/CW/CIRCLELINE	T9	4 PIN	12	4150	62	1925	12"	17000	1 YR
40	90020	FC16T9/CW/CIRCLELINE	T9	4 PIN	12	4200	62	2750	16"	17000	1 YR




## DAYLIGHT PLUS™

The Daylight Plus™ lamp provides a very cool, bluish color, strong in blues and greens. They are available in a variety of sizes and wattages.

### DAYLIGHT PLUS™ LAMPS

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
15	90080	F15T8/DAY PLUS	T8	MBP	24	6500	84	700	18"	15000	1 YR
20	90130DX	F20T12/DAY PLUS	T12	MBP	30	6500	84	1075	24"	22000	2.5 YR
40	90536DX	F40T12/DAY PLUS	T12	MBP	30	6500	84	2325	48"	36000	3 YR
75	90877DX	F96T12/DAY PLUS	T12	SP	15	6500	84	4500	96"	22000	2.5 YR



### DAYLIGHT PLUS™ (HO)

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
110	90954DX	F96T12/DAY PLUS/HO	T12	RDC	15	6500	84	6750	96"	20000	2.5 YR



## EXCELLA™ LAMPS

Excella™ is a very blue/green lamp that has a good CRI; however, it does not have a balanced spectrum. See WSI's Vision lamp for a better alternative.

### EXCELLA™

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
32	78544	F32T8/EXCELLA	T8	MBP	30	5765	91	2895	48"	36000	3 YR
40	78662	F40T12/EXCELLA	T12	MBP	30	5765	91	2150	48"	36000	3 YR
75	78716	F96T12/EXCELLA	T12	SP	15	5765	91	5370	96"	22000	2.5 YR

### EXCELLA™ U-BEND

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
40	78684	FB40T12/EXCELLA/U6	T12	MBP	12	5765	91	2150	22.5"	26000	3 YR



# Fluorescent

## SPECTRALITE™ LAMPS


Spectralite™ is formulated to closely match the light of natural sunshine. Spectralite™ is available in a variety of sizes and wattages. See WSI'S Vision lamp for a better alternative.



### SPECTRALITE™

See WSI's Vision lamp for a better alternative.

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
20	90152	F20T12/SL	T12	MBP	30	5900	90	840	24"	22000	2.5 YR
30	90205	F30T8/SL	T8	MBP	30	5900	90	1470	36"	15000	2.5 YR
30	90277	F30T12/SL	T12	MBP	30	5900	90	1550	36"	26000	2.5 YR
40	90541	F40T12/SL	T12	MBP	30	5900	90	2200	48"	36000	3 YR
55	90795	F72T12/SL	T12	SP	15	5900	90	3200	72"	22000	2.5 YR
75	90883	F96T12/SL	T12	SP	15	5900	90	4400	96"	22000	2.5 YR



### SPECTRALITE™ (HO)

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
110	90947	F96T12/SL/HO	T12	RDC	15	5900	90	6450	96"	20000	2.5 YR

### SPECTRALITE™ U-BEND

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
40	90625	FB40T12/SL/U6	T12	MBP	12	5900	90	1980	22.5"	26000	3 YR



## SPECIAL APPLICATION FLUORESCENT LAMPS

Gold Insecto is intended to be used outdoors at night because it does not attract insects. Black Light Blue (purple glass) is great for visual inspections and black light posters, of course.

### SPECIAL APPLICATION FLUORESCENTS


Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
40	24673	F40T12/GOLD/INSECTO/SYL	T12	MBP	30	N/A	N/A	1980	48"	24000	1YR
40	F40BLB	F40T12/BLACK LIGHT BLUE	T10	MBP	6	N/A	N/A	N/A	48"	24000	1 YR
30	90153	F30T12/GL/WS	T12	MBP	30	3400	89	1570	36"	18000	1 YR
32	90154	F32T8/GL/WS	T8	MBP	30	3400	89	1700	48"	20000	1 YR
40	24671	F40T12/GRO/AQ/WS/RP	T12	MBP	6	3400	89	1200	48"	20000	1 YR
75	90157	F96T12/GL/WS	T12	SP	15	3400	89	3600	96"	12000	1 YR
85	90155	F72T12/GL/WS/HO	T12	RDC	15	3400	89	3900	72"	12000	1 YR
110	90156	F96T12/GL/WS/HO	T12	RDC	15	3400	89	5200	96"	12000	1 YR



# Fluorescent

## TRITEN® 50 LAMPS

Triten® 50 is a product that provides a good CRI with high illumination capabilities. It is a long life product with great reliability and is available in a variety of sizes and wattages. For additional options see WSI's Vision Plus product line.




### TRITEN® 50 LAMPS

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
20	290551	F20T12/TRITEN 50	T12	MBP	30	5000	85	1350	24"	22000	3 YR
30	381988	F30T12/TRITEN 50	T12	MBP	30	5000	85	2380	36"	26000	3 YR
59	205773	F96T8/TRITEN 50	T8	SP	24	5000	85	6500	96"	22000	3 YR

### TRITEN® 50 U-BENDS

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
32	347328	FB32T8/TRITEN 50/U6	T8	MBP	20	5000	84	2750	22.5"	26000	3 YR
40	256743	FB40T12/TRITEN 50/U6	T12	MBP	12	5000	85	3150	22.5"	26000	3 YR



### TRITEN® 50 700 SERIES

Watts	Order Number	Description	Shape	Base	Case	Kelvin	CRI	Lumens	MOL	Hours	Warranty
32	349993	F32T8/SUPER 750	T8	MBP	25	5000	75	2850	48"	36000	3 YR

## SAFETY SHIELDS WITH END CAPS

USDA approved fluorescent safety shields with universal end caps will keep glass inside the shields in the event the lamp breaks. Use the "Heat Sinks" with HO and VHO lamps to help prevent the shield from melting due to the heat generated by these lamps.



### SAFETY SHIELDS WITH END CAPS T8

ORDER NUMBER	Description	Shape	MOL	Case
99918	4'/T8/CLEAR TUBE GUARD	T8	48"	48
99918UV	4'/T8/UV CLEAR TUBE GUARD	T8	48"	24
99917	8'/T8/CLEAR TUBE GUARD	T8	96"	24



# Fluorescent

## SAFETY SHIELDS WITH END CAPS T12

ORDER NUMBER	Description	Shape	MOL	Case
99921	4/T12 CLEAR TUBE GUARD	T12	48"	24
99921UV	4/T12 CLEAR TUBE GUARD	T12	48"	24
99924	4/T12/YELLOW TUBE GUARD	T12	48"	24
99925	4/T12 PINK TUBE GUARD	T12	48"	24
99926	4/T12 RED TUBE GUARD	T12	48"	24
99927	4/T12 BLUE TUBE GUARD	T12	48"	24
99928	4/T12/GREEN TUBE GUARD	T12	48"	24
99922	6/T12/CLEAR TUBE GUARD	T12	72"	24
99930	8/T12 CLEAR TUBE GUARD	T12	96"	24
99930UV	8/T12 CLEAR UV TUBE GUARD	T12	96"	24
99931	8/T12 YELLOW TUBE GUARD	T12	96"	24
99932	8/T12/PINK TUBE GUARD	T12	96"	24
99933	8/T12/RED TUBE GUARD	T12	96"	24
99934	8/T12/BLUE TUBE GUARD	T12	96"	24
99935	8/T12 GREEN TUBE GUARD	T12	96"	24

## END CAPS FOR SAFETY SHIELDS

ORDER NUMBER	Description	Shape	MOL	Case
99901	UNIVERSAL T8 END CAP	T8	48"	50
99900	UNIVERSAL T12 END CAP	T12	48"	50

## HEAT SINKS FOR SAFETY SHIELDS

ORDER NUMBER	Description	Shape	MOL	Case
99914	HEAT SINKS (PAIR)	NA	NA	0

## FLUORESCENT STARTERS & LAMP HOLDERS

Industrial grade lamp holders (tombstones) are used to replace any cracked or broken lamp holders to ensure a positive lamp contact.

### FLUORESCENT "QUICK START" STARTERS



ORDER NUMBER	Description	Case
99906	FS2 STARTER 14,15 & 20 WATT	25
99907	FS4 STARTER 13,30 & 40 WATT	25
99908	FS5 STARTER 4,6 & 8 WATT	25
99911	FS12 32W STARTER 32 WATT	25
99912	FS22 STARTER 22 WATT	25
99936	FS25 STARTER 25 WATT	25

# Fluorescent

## FLUORESCENT "TOMBSTONES" LAMP HOLDERS

ORDER NUMBER	Description	Base
D3988	BI-PIN TOMBSTONE SHUNTED	MBP
D2690	BI-PIN BUTT MOUNT TOMBSTONE	MBP
D2685	BI-PIN TOMBSTONE STANDARD	MBP
D2687	BI-PIN TOMBSTONE TALL	MBP
D2683	SINGLE PIN NON-COMP.TOMBSTONE	SP
D2682	SINGLE PIN COMP.TOMBSTONE	SP
D2768	HO/VHO NON-COMP.TOMBSTONE(VERTICAL)	RDC
D2694	BI-PIN U-BEND TOMBSTONE	MBP
D2769	HO/VHO COMP.TOMBSTONE (VERTICAL)	RDC

# Fluorescent

---

Notes: