

Incandescent

INDUSTRIAL LONG LIFE “A” LAMPS

The Industrial Long Life Incandescent lamps are designed with rugged filament support systems and brass bases to ensure long life performance.



A15 5,000 HOUR APPLIANCE LAMP

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
40	91119	40W/A15/FR	130	FR	MED	120	350	3 1/2"	5000	1 YR

A21 5,000 HOUR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
100	91653	100W/A21/CL	130	CL	MED	120	1075	4 7/16"	5000	1 YR
100	91654	100W/A21/FR	130	FR	MED	120	1075	4 7/16"	5000	1 YR
150	91763	150W/A21/CL	130	CL	MED	120	1900	4 7/16"	5000	1 YR
150	91764	150W/A21/FR	130	FR	MED	120	1900	4 7/16"	5000	1 YR



A23 5,000 HOUR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
200	91945	200W/A23/CL	130	CL	MED	60	2335	6 5/16"	5000	1 YR
200	91946	200W/A23/FR	130	FR	MED	120	2335	6 5/16"	5000	1 YR

PS25 5,000 HOUR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
150	91919	150W/PS25/FR	130	FR	MED	60	1900	6 15/16"	5000	1 YR
200	91950	200W/PS25/CL	130	CL	MED	60	2500	6 15/16"	5000	1 YR
200	91955	200W/PS25/FR	130	FR	MED	60	2500	6 15/16"	5000	1 YR



PS30 5,000 HOUR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
300	92040	300W/PS30/CL	130	CL	MED	60	4450	8 1/16"	5000	1 YR
300	92045	300W/PS30/FR	130	FR	MED	60	4450	8 1/16"	5000	1 YR

PS35 5,000 HOUR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
300	92050	300W/PS35/MOG/CL	130	CL	MOG	24	4500	9 1/8"	5000	1 YR
300	92055	300W/PS35/MOG/FR	130	FR	MOG	24	4500	9 1/8"	5000	1 YR
500	92155	500W/PS35/MOG/CL	130	CL	MOG	24	7825	9 1/8"	5000	1 YR



A21 THREE WAY LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
100	91201	30/70/100W/3 WAY/FR	130	FR	MED	120	825	5 5/16"	4000	1 YR
150	91328	50/100/150W/3 WAY FR	130	FR	MED	120	1250	5 5/16"	3500	1 YR



Incandescent

PS25 THREE WAY SPECIAL APPLICATION (FUNERAL HOMES)

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
300	0571	100/200/300/PS25/RED NECK	125	RED NECK	MOG	60	3000	6 3/4"	3000	1 YR
300	0572	100/200/300/PS25/OLD ROSE	125	OLD ROSE	MOG	60	3000	6 3/4"	3000	1 YR
300	0574	100/200/300/PS25/BLUE	125	BLUE	MOG	60	3000	6 3/4"	3000	1 YR



INDUSTRIAL COLORED LAMPS

The Industrial Colored Lamp products are designed with a rugged filament support and consistent coloring characteristics. They are manufactured in a variety of the most popular colors.

A19 YELLOW / INSECTO LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
25	91178	25W/A19/YELLOW	130	YELLOW	MED	120	N/A	4 1/2"	5000	1 YR
40	91241	40W/A19/YELLOW	130	YELLOW	MED	120	N/A	4 1/2"	5000	1 YR
60	91371	60W/A19/YELLOW	130	YELLOW	MED	120	N/A	4 1/2"	5000	1 YR
75	91491	75W/A19/YELLOW	130	YELLOW	MED	120	N/A	4 1/2"	5000	1 YR
100	91638	100W/A19/YELLOW	130	YELLOW	MED	120	N/A	4 1/2"	5000	1 YR



A19 SOFT PINK

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
25	91179	25W/A19/PINK	130	PINK	MED	24	N/A	4 1/2"	2500	1 YR
40	91239	40W/A19/PINK	130	PINK	MED	24	N/A	4 1/2"	2500	1 YR
60	91369	60W/A19/PINK	130	PINK	MED	24	N/A	4 1/2"	2500	1 YR
100	91637	100W/A19/PINK	130	PINK	MED	24	N/A	4 1/2"	2500	1 YR



A19 ORANGE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
25	91176	25W/A19/ORANGE	130	ORANGE	MED	24	N/A	4 1/2"	2500	1 YR
40	91234	40W/A19/ORANGE	130	ORANGE	MED	24	N/A	4 1/2"	2500	1 YR
60	91364	60W/A19/ORANGE	130	ORANGE	MED	24	N/A	4 1/2"	2500	1 YR
100	91634	100W/A19/ORANGE	130	ORANGE	MED	24	N/A	4 1/2"	2500	1 YR



Incandescent

A19 BLUE / GREEN / RED

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
25	91177	25W/A19/RED	130	RED	MED	24	N/A	4 1/2"	2500	1 YR
25	71233	25W/A19/BLUE	130	BLUE	MED	24	N/A	4 1/2"	2500	1 YR
25	71866	25W/A19/GREEN	130	GREEN	MED	24	N/A	4 1/2"	2500	1 YR
40	91236	40W/A19/BLUE	130	BLUE	MED	24	N/A	4 1/2"	2500	1 YR
40	91238	40W/A19/RED	130	RED	MED	24	N/A	4 1/2"	2500	1 YR
60	91266	60W/A19/BLUE	130	BLUE	MED	24	N/A	4 1/2"	2500	1 YR
60	91367	60W/A19/GREEN	130	GREEN	MED	24	N/A	4 1/2"	2500	1 YR
60	91368	60W/A19/RED	130	RED	MED	24	N/A	4 1/2"	2500	1 YR
100	91636	100W/A19/RED	130	RED	MED	24	N/A	4 1/2"	2500	1 YR
100	71620	100W/A19/BLUE	130	BLUE	MED	24	N/A	4 1/2"	2500	1 YR
100	71921	100W/A19/GREEN	130	GREEN	MED	24	N/A	4 1/2"	2500	1 YR



INDUSTRIAL SPECIAL PURPOSE LAMPS

Tuff Hyde lamps are ideal where broken light bulbs or flying glass are cause for concern. A special coating prohibits the bulbs from breaking even if liquids are accidentally sprayed on the hot glass. The coating is designed to contain the broken glass. This product is USDA approved for food service.



A15 & A19 TUFF HYDE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
40	71054	40W/A15/TH	130	TH	MED	120	345	3 1/2"	5000	1 YR
40	91243	40W/A19/TH	130	TH	MED	120	350	4 1/2"	5000	1 YR
60	91374	60W/A19/TH	130	TH	MED	120	650	4 1/2"	5000	1 YR
75	91494	75W/A19/TH	130	TH	MED	120	920	4 1/2"	5000	1 YR
100	91657	100W/A19/TH	130	TH	MED	120	1060	4 1/2"	5000	1 YR



PS25 TUFF HYDE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
150	91771	150W/PS25/TH	130	TH	MED	60	1880	6 13/16"	5000	1 YR
200	91971	200W/PS25/TH	130	TH	MED	60	2288	6 13/16"	5000	1 YR

BR30 TUFF HYDE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
65	75443	75W/R30/FL/TH	130	TH	MED	60	620	5 3/8"	4000	1 YR



BR40 TUFF HYDE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
120	75688	120W/BR40/TH	130	TH	MED	24	1150	6 1/2"	4000	1 YR



Incandescent

SIGN LAMPS



Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
11	91065	11W/S14/CL	130	CL	MED	120	82	3 1/2"	8000	1 YR
11	91070	11W/S14/FR	130	FR	MED	120	82	3 1/2"	8000	1 YR
40	40S11	40S11/N/CL	130	CL	INT	25	440	2 3/16"	1000	N/A

INDUSTRIAL TOWER & TRAFFIC LAMPS

The Industrial Tower and Traffic lamps are designed for long, reliable service. The traffic lamps meet all DOT requirements and provide for long service to address safety and labor concerns of municipalities. The Industrial Tower products are to be used whenever a tall structure needs to be identified for aircraft.



TRAFFIC LAMPS 16,000 HOUR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
68	382721	68W/A19/TS	125	CL	MED	120	630	4 3/8"	16000	2 YR
116	382689	116W/A21/TS	125	CL	MED	120	1070	4 3/8"	16000	2 YR
135	382697	135W/A21/TS	125	CL	MED	120	1600	4 3/8"	16000	2 YR

RADIANT OBSTRUCTION LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
116	224857	116W/A21/TS	130	CL	MED	120	1260	4 7/16"	8000	NA
116	224832	116W/A21/TS	120	CL	MED	120	1260	4 7/16"	8000	NA

GE CODE BEACON LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
620	21950	620W/PS40/P	120	CL	MOG PF	24	11200	10.06"	3000	NA
620	21952	620W/PS40/P	130	CL	MOG PF	24	11200	10.06"	3000	NA



Incandescent

INDUSTRIAL LONG LIFE DECORATIVE LAMPS

The Flamescent lamp is OSHA & USDA approved. This manufacturing process combines an exclusive fiberglass yarn winding around the surface of the bulb, with two layers of specially developed silicone adhesives. This provides for a very attractive design and gives the appearance of a traditional gaslight. Ideal for chandeliers, sconces, candlesticks, wall fixtures, coach lights, post lights, and ceiling fans.

C9.5 FLAMESCENT CANDLE LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
15	4017	15W/C9.5/FLAMESCENT	125	FLAMESCENT	CND	60	3 1/2"	9500	1 YR
15	4707	15W/C9.5/CND/FLAMESCENT PINK	125	FLAMESCENT PINK	CND	60	3 1/2"	9500	1 YR

C11 FLAMESCENT CANDLE LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
25	4030	25W/C11/CND/FLAMESCENT	125	FLAMESCENT	CND	60	4 1/8"	9500	1 YR
40	4055	40W/C11/CND/FLAMESCENT	125	FLAMESCENT	CND	60	4 1/8"	9500	1 YR
60	4112	60W/C11/CND/FLAMESCENT	125	FLAMESCENT	CND	60	4 1/8"	9500	1 YR

C15 FLAMESCENT CANDLE LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
25	4024	25W/C15/FLAMESCENT	125	FLAMESCENT	MED	120	4 1/2"	9500	1 YR
40	4057	40W/C15/FLAMESCENT	125	FLAMESCENT	MED	120	4 1/2"	9500	1 YR
60	4114	60W/C15/FLAMESCENT	125	FLAMESCENT	MED	120	4 1/2"	9500	1 YR
25	4716	25W/C15/FLAMESCENT GOLD	125	FLAMESCENT GOLD	MED	120	4 1/2"	9500	1 YR
25	4717	25W/C15/FLAMESCENT PINK	125	FLAMESCENT PINK	MED	120	4 1/2"	9500	1 YR

H19 CHIMNEY FLAMESCENT

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
40	4060	40W/H19/CHIMNEY-FLAMESCENT	125	FLAMESCENT	MED	24	6"	9500	1 YR

SPARKELUX DECORATIVE LAMPS

The Sparkelux Long Life decorative bulb provides a crisp and clear light source to be used in any fixtures where a clear, bright light source is desired.

C9.5 SPARKELUX LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
8	LS4000	8.5W/C9.5/SPARKELITE	125	SPARKELITE	CND	60	3 1/2"	9500	1 YR
15	4015	15W/C9.5/SPARKELITE	125	SPARKELITE	CND	60	3 1/2"	9500	1 YR



Incandescent



C11 SPARKELUX LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
25	4029	25W/C11/SPARKELITE	125	SPARKELITE	CND	60	4 1/8"	9500	1 YR
40	4054	40W/C11/SPARKELITE	125	SPARKELITE	CND	60	4 1/8"	9500	1 YR
60	4111	60W/C11/SPARKELITE	125	SPARKELITE	CND	60	4 1/8"	9500	1 YR

C15 SPARKELUX LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
25	4026	25W/C15/SPARKELITE	125	SPARKELITE	MED	60	4 1/2"	9500	1 YR
40	4056	40W/C15/SPARKELITE	125	SPARKELITE	MED	60	4 1/2"	9500	1 YR
60	4113	60W/C15/SPARKELITE	125	SPARKELITE	MED	60	4 1/2"	9500	1 YR

F15 TORCH LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
25	0124	25W/F15/TORCH/CL	125	CL	MED	120	4 1/2"	9500	1 YR
25	0134	25W/F15/TORCH/AMBER	125	AMBER	MED	120	4 1/2"	9500	1 YR

INDUSTRIAL DECORATIVE LAMPS

These lamps provide 3,000 hours of use and are available in a variety of wattages, base sizes, bent & straight tip.

STRAIGHT TIP CLEAR CND BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
25	91140	25W/CL/CND/STRAIGHT	130	CL	CND	25	4 1/16"	3000
40	91276	40W/CL/CND/STRAIGHT	130	CL	CND	25	4 1/16"	3000
60	91405	60W/CL/CND/STRAIGHT	130	CL	CND	25	4 1/16"	3000

STRAIGHT TIP CLEAR MED BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
25	91141	25W/CL/MED/STRAIGHT	130	CL	MED	25	3 3/4"	3000
40	91277	40W/CL/MED/STRAIGHT	130	CL	MED	25	3 3/4"	3000
60	91404	60W/CL/MED/STRAIGHT	130	CL	MED	25	3 3/4"	3000

BENT TIP CLEAR CND BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
15	91120	15W/CL/CND/BENT	130	CL	CND	25	3 3/4"	3000
25	91143	25W/CL/CND/BENT	130	CL	CND	25	4 3/16"	3000
40	91278	40W/CL/CND/BENT	130	CL	CND	25	4 3/16"	3000
60	91403	60W/CL/CND/BENT	130	CL	CND	25	4 3/16"	3000



Incandescent

BENT TIP FROST CND BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
15	91121	15W/FR/CND/BENT	130	FR	CND	25	3 3/4"	3000
25	91142	25W/FR/CND/BENT	130	FR	CND	25	4 3/16"	3000
40	91280	40W/FR/CND/BENT	130	FR	CND	25	4 3/16"	3000
60	91401	60W/FR/CND/BENT	130	FR	CND	25	4 3/16"	3000

BENT TIP CLEAR MED BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
25	95150	25W/CL/MED/BENT	130	CL	MED	25	4 1/16"	3000
40	91279	40W/CL/MED/BENT	130	CL	MED	25	4 1/16"	3000
60	91402	60W/CL/MED/BENT	130	CL	MED	25	4 1/16"	3000



INDUSTRIAL GLOBELITES

Industrial Globelites are designed to provide long life service. They are available in clear and white with a variety of wattages and sizes.

G16.5 CLEAR CND BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
15	77200	15W/G16.5/CL	130	CL	CND	25	3"	3000
25	91184	25W/G16.5/CL	130	CL	CND	25	3"	3000
40	77204	40W/G16.5/CL	130	CL	CND	25	3"	3000
60	77206	60W/G16.5/CL	130	CL	CND	25	3"	3000



G16.5 WHITE CND BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
15	77201	15W/G16.5/WHT	130	WHT	CND	25	3"	3000
25	91186	25W/G16.5/WHT	130	WHT	CND	25	3"	3000
40	77205	40W/G16.5/WHT	130	WHT	CND	25	3"	3000



G25 CLEAR MED BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
25	91187	25W/G25/CL	130	CL	MED	12	4 7/16"	3500
40	91247	40W/G25/CL	130	CL	MED	12	4 7/16"	3500

G25 WHITE MED BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
25	91188	25W/G25/WHT	130	WHT	MED	12	4 7/16"	3500
40	91248	40W/G25/WHT	130	WHT	MED	12	4 7/16"	3500

Incandescent



G40 CLEAR MED BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
25	91192	25W/G40/CL	125	CL	MED	24	6 15/16"	3500
40	91249	40W/G40/CL	125	CL	MED	24	6 15/16"	3500
60	91383	60W/G40/CL	125	CL	MED	24	6 15/16"	3500
100	91676	100W/G40/CL	125	CL	MED	24	6 15/16"	3500

G40 WHITE MED BASE

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours
40	91251	40W/G40/WHT	125	WHT	MED	24	6 15/16"	3500
60	91384	60W/G40/WHT	125	WHT	MED	24	6 15/16"	3500
100	91677	100W/G40/WHT	125	WHT	MED	24	6 15/16"	3500

Incandescent

CHROMALUX LONG LIFE NEODYMIUM LAMPS

The Chromalux lamps are manufactured in Europe to an exacting industry standard. They have a heavy duty filament and support system to increase lamp life. This lamp uses a colored glass to filter out reds and yellows. This allows the light to exit the lamp much “whiter” and enhances color. In addition, the bulb is built with a real silver inner reflector to increase lumen output and a brass base to prevent corrosion.

R20 REFLECTOR LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
60	60R20FL/NEO	60W/R20/FL/NEO	120	FR/NEO	MED	25	320	3 15/16"	5000	1 YR
60	60R20SP/NEO	60W/R20/SP/NEO	120	CL/NEO	MED	25	350	3 15/16"	5000	1 YR



R30 REFLECTOR LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
75	75R30FL/NEO	75W/R30/FL/NEO	120		MED	20	N/A	5 3/8"	5000	1 YR
100	100R30FL/NEO	100W/R30/FL/NEO	120	FR/NEO	MED	20	600	5 3/8"	5000	1 YR
100	100R30SP/NEO	100W/R30/SP/NEO	120	CL/NEO	MED	20	730	5 3/8"	5000	1 YR

R40 REFLECTOR LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
150	150R40FL/NEO	150W/R40/FL/NEO	120	FR/NEO	MED	20	720	6 1/2"	5000	1 YR
150	150R40SP/NEO	150W/R40/SP/NEO	120	CL/NEO	MED	20	730	6 1/2"	5000	1 YR



A19 STANDARD LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
60	60A19FR/NEO	60W/A19/FR/NEO	120	FR/NEO	MED	20	750	4 1/2"	5000	1 YR
60	60A19CL/NEO	60W/A19/CL/NEO	120	CL/NEO	MED	20	750	4 1/2"	5000	1 YR

A21 STANDARD LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	Lumens	MOL	Hours	Warranty
100	100A21FR/NEO	100W/A21/FR/NEO	120	FR/NEO	MED	20	1350	5 5/16"	5000	1 YR
100	100A21CL/NEO	100W/A21/CL/NEO	120	CL/NEO	MED	20	1425	5 5/16"	5000	1 YR
150	150A21FR/NEO	150W/A21/FR/NEO	120	FR/NEO	MED	20	1650	5 5/16"	5000	1 YR

Incandescent

INDUSTRIAL REFLECTOR LAMPS

The “BR” envelope provides more light focusing power to put the light where you need it. An increase in usable light makes lower wattage replacements possible and saves energy expenses. The Dual Beam version adds an additional punch to the light output, especially if you have a longer distance to move the light. Also available in the “Artic Brite™” color providing a “whiter” light emission to enhance the illumination of products.



BR30 REFLECTOR FLOOD

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
65	91599	65W/BR30/FL	125	FR	MED	24	5 3/8"	5000	1 YR

BR30 DUAL BEAM REFLECTOR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
65	91600	65W/BR30/DB	125	DB	MED	24	5 3/8"	5000	1 YR

BR30 DAWN PINK REFLECTOR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
65	91540	65W/BR30/DAWN PINK	125	PK	MED	24	5 3/8"	5000	1 YR

BR40 REFLECTOR LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
75	91595	75W/BR40/FL	125	FR	MED	24	6 1/2"	5000	1 YR
100	91682	100W/BR40/FL	125	FR	MED	24	6 1/2"	5000	1 YR
120	91795	120W/BR40/FL	125	FR	MED	24	6 1/2"	5000	1 YR

BR40 DUAL BEAM REFLECTOR LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
75	91594	75W/BR40/DB	125	DB	MED	24	6 1/2"	5000	1 YR
100	91695	100W/BR40/DB	125	DB	MED	24	6 1/2"	5000	1 YR
120	91845	120W/BR40/DB	125	DB	MED	24	6 1/2"	5000	1 YR

BR40 SPECIALITY REFLECTOR LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
120	91852	120W/BR40/AB	125	AB	MED	24	6 1/2"	5000	1 YR
120	91815	120W/BR40/PINK	125	PK	MED	24	6 1/2"	5000	1 YR

Incandescent

INDUSTRIAL REFLECTOR LAMPS

The Industrial reflector lamps are available in a variety of sizes, wattage, and colors. They all have brass bases to resist corrosion and real silver inner reflectors to increase light output. The “Krypton” version has a longer life expectancy and increased lumen output.

R20 KRYPTON REFLECTOR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
50	90336	50W/R20/FL	130	FR	MED	60	3 15/16"	8000	2 YR

R20 REFLECTOR LAMP

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
50	91331	50W/R20/FL	130	FR	MED	60	3 15/16"	3500	1 YR

R20 DAWN PINK REFLECTOR LAMP

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
50	91332	50W/R20/DAWN PINK	130	PK	MED	60	3 15/16"	5000	1 YR

ER30 ELLIPTICAL LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
50	91335	50W/ER30/FL	130	FR	MED	24	6 3/8"	5000	1 YR
75	91590	75W/ER30/FL	130	FR	MED	24	6 3/8"	5000	1 YR

BR38 AMBER/BLUE/GREEN/RED/REFLECTOR LAMPS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
100	91746	100W/BR38/AMBER	130	AMBER	MED	12	5 5/16"	5000	1 YR
100	91748	100W/BR38/BLUE	130	BLUE	MED	12	5 5/16"	5000	1 YR
100	91749	100W/BR38/GREEN	130	GREEN	MED	12	5 5/16"	5000	1 YR
100	91750	100W/BR38/RED	130	RED	MED	12	5 5/16"	5000	1 YR



Incandescent

INDUSTRIAL INFARED HEAT REFLECTORS

The Industrial heat lamps are designed for use in food service and hospitality. They provide increased performance and long life. The Teflon coated lamp is USDA approved.



BR38 HEAT REFLECTORS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
175	71901	175W/BR38/CL/HEAT	130	CL	MED	12	5 5/16"	8000	1 YR
175	71910	175W/BR38/RED/HEAT	130	RED	MED	12	5 5/16"	8000	1 YR

BR40 HEAT REFLECTORS

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
250	92030	250W/R40/CL/HEAT	120	CL	MED E26	12	6 1/2"	5000	1 YR
250	92036	250W/R40/RED/HEAT	125	RED	MED	12	6 9/16"	8000	1 YR

BR40 HEAT REFLECTOR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
375	75821	375W/R40/CL/HEAT	120	CL	MED	12	6 1/2"	5000	1YR

BR40 TEFLON COATED HEAT REFLECTOR

Watts	Order Number	Description	Volts	Bulb Finish	Base	Case	MOL	Hours	Warranty
250	73509	250W/BR40/TEFLON	120	TEFLON	MED	12	6 1/2"	5000	1YR
375	60201	375W/R40/TEF	120	TEFLON	MED	12	6 1/2"	5000	1YR

INCANDESCENT SOCKET ADAPTERS AND EXTENDERS

SOCKET ADAPTERS



ORDER NUMBER	Description	Base	Case
MED/MOG	MOG TO MED REDUCER	MOG	1
CND/MED	MED TO CND REDUCER	MED	1
INT/MED	MED TO INT REDUCER	MED	1
CND/INT	INT TO CND REDUCER	INT	1
MOG/MED	MED TO MOG ENLARGER	MED	1
MED/CND	CND TO MED ENLARGER	CND	1

SOCKET EXTENDERS



ORDER NUMBER	Description	Base	Case
MED/MED	MED TO MED EXTENSION	MED	1
CND/CND	CND TO CND EXTENSION	CND	1